



Hand protection

NI975

WORKS IN OILY ENVIRONMENT

Oil-resistant impact glove thanks to its full nitrile coating.



Specific benefits



Durability

· Longer service life thanks to a double coating for excellent abrasion resistance



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



EN 388
4 X 1 1 A P



ANSI/ISEA 105-2024
A2 6 2



ANSI ISEA 138
LEVEL 1

Applications

- Public works
- Building
- Heavy industry
- Maintenance
- Oil & Gas (extraction)
- Mining

Protects against risks



Shock



Wearing



Hand protection

NI975

WORKS IN OILY ENVIRONMENT

Oil-resistant impact glove thanks to its full nitrile coating.

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE

X [0-5] CUT RESISTANCE

1 [0-4] TEAR RESISTANCE

1 [0-4] PIERCE RESISTANCE

A [A-F] CUT RESISTANCE ISO 13997

P [P] IMPACT RESISTANCE (OPTIONAL)

Technical details

Glove kind	Special glove
Glove family	Impact-resistant glove
Mechanical glove kind	Cut and sewn
Special gloves kind	Impact
Coating level	Fully coated except wrist
Coating material	Nitrile
Coating finition	Grip-textured
Number of layer	Double Layer
Cuff characteristic	Large safety cuff
Benefits element	Vendor pack
Color	Blue
Size	10
Type of packaging	Header card

Packaging

Sale unit: Header card

60 pairs /box



Safety gloves

NI975

WORKS IN OILY ENVIRONMENT

Oil-resistant impact glove thanks to its full nitrile coating.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
NI97510	Blue	10	NI975	3295249315481	13295249315488	60	12	18.27 kg	34.5 cm	78.5 cm	24.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height