



Hand protection

VV912

LONG-LASTING CUT WORK

Goat leather impact glove for heavy-duty work with level F cut-resistant liner, offering comfort, protection, and breathability.



Specific benefits



Hygiene

- Treated to resist moisture



Comfort

- Goat leather for comfort, flexibility and dexterity

Applications

- Public Works
- Building
- Oil & Gas (Extraction)
- Mining

Certifications and norms



EN 388
4 X 4 2 F P



EN 407
X 1 X X X X



A6 4 3



ANSI ISEA 138
LEVEL 2

Risk Protection



Heat



Shock



Cutting



Hand protection

VV912

LONG-LASTING CUT WORK

Goat leather impact glove for heavy-duty work with level F cut-resistant liner, offering comfort, protection, and breathability.

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
F [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)



EN 407

X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Special glove
Glove family	Impact-resistant glove
Mechanical Glove Type	Cut Sewn
Special gloves kind	Impact
Cuff characteristic	Sewn open cuff with elastic
Benefits element	Vendor pack
Color	White
Size	9, 10, 11
Type of conditioning	Header card

Packaging

Sale unit: Header card
60 pairs /box



Safety gloves

VV912

LONG-LASTING CUT WORK

Goat leather impact glove for heavy-duty work with level F cut-resistant liner, offering comfort, protection, and breathability.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV91209	White	09	VV912	3295249315344	13295249315341	60	12	18.91 kg	64.2 cm	33.5 cm	32.4 cm
VV91210	White	10	VV912	3295249315351	13295249315358	60	12	19.6 kg	64.5 cm	35.3 cm	34.0 cm
VV91211	White	11	VV912	3295249315368	13295249315365	60	12	20.85 kg	35.4 cm	66.3 cm	34.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height