



Hand protection

VE510

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm, has a good grip on handled objects for all types of applications



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Performance

· Extra thick and long for extra protection of the entire arm

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Automotive

Certifications and norms



EN 388
3 1 1 0 X



EN ISO 374-1
TYPE A
AKLMNOPT



EN ISO 374-5

Risk Protection



Biological



Wearing



Chemical



Particules



Hand protection

VE510

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm, has a good grip on handled objects for all types of applications

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
0 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
K
L
M
N
O
P
T

Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported powder free
Tight glove kind	Unsupported
Coating Level	Full Coating
Coating Material	Neoprene
Coating Finish	Smooth
Number of Coatings	Single Coated
Inner finition	Flocked
Thickness (mm)	0,78
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Reach
Color	Black
Size	6, 7, 8, 9, 10, 11
Type of conditioning	in individual bag

Packaging

Sale unit: in individual bag
120 pairs /box



Hand protection

VE510

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm, has a good grip on handled objects for all types of applications

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Methanol	A	67-56-1	3	60	3.8%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-0.1%
Acide Sulfurique 96%	L	7664-93-9	4	120	23.5%
Nitric Acid 65%	M	7697-37-2	6	480	19.3%
Acetic Acid 99%	N	64-19-7	5	240	19%
Hydroxyde d'ammonium 25%	O	1336-21-6	3	60	-12.9%
Peroxyde d'Hydrogène 30%	P	7722-84-1	6	480	-2.8%
Acide hydrofluorique 40%	S	7664-39-3	6	480	X
Formaldehyde 37%	T	50-00-0	6	480	6.7%



Safety gloves

VE510

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm, has a good grip on handled objects for all types of applications

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE510NO08	Black	8/9	VE510	3295249012045	13295249012042	120	12	23.0 kg	86.0 cm	31.0 cm	25.0 cm
VE510NO09	Black	9/10	VE510	3295249012052	13295249012059	120	12	23.0 kg	86.0 cm	31.0 cm	25.0 cm
VE510NO10	Black	10/11	VE510	3295249012069	13295249012066	120	12	23.0 kg	86.0 cm	31.0 cm	25.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height