



AN547180JWW

UŽAD ZA AMORTIZACIJU PADA

Oprema protiv pada



Prednosti



Higijena

- Mogućnost pranja pojaseva i tkanine neutralnim sapunom



Jednostavnost korištenja

- NFC sustav koji jamči sljedivost



Trajnost

- Iznimno čvrsta traka zahvaljujući vrsti tkanja i materijalu te širini

Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Teška industrija
- Laka industrija
- Održavanje

Certifikati i standardi



CSA Z259.11-17

Štiti od



Pad



AN547180JWW

UŽAD ZA AMORTIZACIJU PADA

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Amortizacija pada uz pomoć užadi
Sastav glavnog nosača	Pocinčani čelik, Poliester
Maks. duljina (m)	1.8
Maks. duljina (ft)	6
Min. duljina (m)	1.3
Min. duljina (ft)	4.3
Duljina (m)	1,8
Boja	Crna-Žuta
Spona (na strani korisnika)	Mala kuka, čelik, otvor 21 mm
Završetak	3 našivene petlje na naprsku
Spona (na strani konstrukcije)	2 kuka s automatskim zaključavanjem, čelična, s otvorom od 65 mm
Vijek upotrebe nakon datuma proizvodnje (godine)	10
Težina (kg) (kg)	2.6
Vrsta pakiranja	Kutija od 5 komada
Radne situacije za zaštitu od pada	Vertikalno kretanje na fiksnoj strukturi, Kratkotrajno vertikalno kretanje ili kretanje na kosoj podlozi (- 3m), Kratkotrajno horizontalno kretanje (- 3m), Dugotrajno kretanje s mogućnošću pomjeranja točke pričvršćivanja
Duljina (ft)	5.9055



Fall protection

AN547180JWW

ENERGY ABSORBING LANYARDS

Energy absorbing lanyard made of lightweight elastic webbing, providing freedom of movement

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN547180JWW	Black-Yellow	1,3 → 1,8 m	AN547180JWW	3295249219475	13295249219472	5	1	13.6 kg	44.0 cm	28.0 cm	22.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height