



Hand protection

VENIFISH VE990

WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids



Specific benefits



Durability

• High-quality coating extends the life of the glove and provides excellent protection for the hand



Hygiene

• Reduces perspiration thanks to its excellent breathability



Performance

• Extra thick and long for extra protection of the entire arm

Certifications and norms



EN 388
3 1 2 1 X



EN ISO 374-1
TYPE A
AKLMNPT



EN ISO 374-5



EN 407
X 1 X X X X



Applications

- Agriculture
- Public Works
- Building
- Manufacturing/Transformation
- Accommodation & Food Services
- Maintenance

Risk Protection



Heat



Biological



Wearing



Chemical



Hand protection

VENIFISH VE990

WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
K
L
M
N
P
T



EN 407

X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating Level	Full Coating
Coating Material	Latex
Coating Finish	Grip-textured
Number of Coatings	Single Coated
Lining material	Cotton Textile
Thickness (mm)	1,8
Arm level protection	Forearm cuff (< 400mm)
Color	Orange
Size	7, 8, 9, 10, 11
Type of conditioning	Bulk bag of 12

Packaging

Sale unit: Bulk bag of 12
120 pairs /box



Hand protection

VENIFISH VE990

WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Methanol	A	67-56-1	6	480	-5.9%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-4.1%
Acide Sulfurique 96%	L	7664-93-9	4	120	-101.7%
Nitric Acide 65%	M	7697-37-2	5	240	-92.2%
Acetic Acid 99%	N	64-19-7	4	120	-62.1%
Peroxyde d'Hydrogène 30%	P	7722-84-1	6	480	-48.2%
Acide hydrofluorique 40%	S	7664-39-3	6	480	X
Formaldehyde 37%	T	50-00-0	6	480	-10.6%



Safety gloves

VENIFISH VE990

WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE990OR07	Orange	7/8	VENIFISH VE990	3295249024116	13295249024113	120	12	25.0 kg	49.0 cm	31.0 cm	64.0 cm
VE990OR08	Orange	8/9	VENIFISH VE990	3295249024123	13295249024120	120	12	23.1 kg	49.0 cm	31.0 cm	64.0 cm
VE990OR09	Orange	9/10	VENIFISH VE990	3295249024130	13295249024137	120	12	23.9 kg	49.0 cm	31.0 cm	64.0 cm
VE990OR10	Orange	10/11	VENIFISH VE990	3295249024147	13295249024144	120	12	24.4 kg	49.0 cm	31.0 cm	64.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height