



Fall protection

AN218S200CDD

ENERGY ABSORBING LANYARDS

Compact, 2-metre double energy-absorbing lanyard with patented system, guaranteeing great freedom of movement for short distances.



Specific benefits



Hygiene

- Can wash harnesses and textiles with neutral soap



Performance

- Certification above maximum rated load 100kg; product certified at 140kg
- Webbing with better abrasion resistance and certified against sharp edges



Sustainability

- Heat shrinking sleeve extends the life of the lanyard

Certifications and norms



EN355

HORIZONTAL CERTIFICATION - 140 KG
RFU 11.062
140 KG

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Power Energy

Risk Protection



Fall



Fall protection

AN218S200CDD

ENERGY ABSORBING LANYARDS

Compact, 2-metre double energy-absorbing lanyard with patented system, guaranteeing great freedom of movement for short distances.

Standards - Details

Technical details

Type of equipment	Braided rope lanyard with thermoformable sheath
Composition of the main support	Steel, Polyamide, Polyester
Length (m)	2
Rope diameter (mm)	10,5
With connector	yes
Color	White-Black
Connector 1	Screw carabiner, steel, opening 18mm
Benefits element	Leading edge
Ending	2 sewn thimble loops
Connectors (structure side)	2 automatic lock hooks, steel, opening 55mm
Lifespan from manufacturing (years)	10
Weight (kg)	1,97
Fall arrest work situations	Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection
Lenght (ft)	6.5616



Fall protection

AN218S200CDD

ENERGY ABSORBING LANYARDS

Compact, 2-metre double energy-absorbing lanyard with patented system, guaranteeing great freedom of movement for short distances.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN218S200CDD	White-Black (C017)	2 m (T224)	AN218S200CDD	3295249235901	13295249235908	5	1	10.8 kg	29.4 cm	45.6 cm	27.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height