Fall protection

X-TREM LIGHT HAR22X

FALL ARRESTER HARNESSES

The lightest innovative harness on the market with no metal parts



Specific benefits

Hygiene

· Can wash harnesses and textiles with neutral soap

Performance

· Certification above maximum rated load 100kg: product certified at 150kg

Ease of Use

· Ergonomic design facilitates user movement
· NFC system guarantees traceability

Certifications and norms

CE CATEGORY III

EN361
150 KG

Applications

- **Agriculture**
- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Automotive**

Risk Protection

Fall

Fall protection

X-TREM LIGHT HAR22X

FALL ARRESTER HARNESSES

The lightest innovative harness on the market with no metal parts

Standards - Details

Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Polyester, Steel with plastic overmolded
Fastening	Buckles
Number of attachment points	2
Buckles	Manual loop
Anti-fall point	Dorsal, Sternal
Color	Black
Comfort elements	Plastic back brace
Size	S/M/L, XL/XXL
Benefits element	Comfort
Lifespan from manufacturing (years)	10
Weight (kg)	0,580
Number of manual buckles	2
Number of fall arrest anchorage points	2
Sternal	1
Dorsal	1
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection

Fall protection

X-TREM LIGHT HAR22X

FALL ARRESTER HARNESSES

The lightest innovative harness on the market with no metal parts

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HAR22XGT	Black	S/M/L	X-TREM LIGHT HAR22X	3295249285715	13295249285712	5	1	4.0 kg	29.6 cm	45.0 cm	18.2 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height