



Fall protection

MINIBLOC AN102

ANTICHUTE À RAPPEL AUTOMATIQUE

Lahek in kompakten navijalec za kratke razdalje



Aplikacije

- Stavba
- Second work / craftman
- Vzdrževanje
- Nafta in plin (pridobivanje)
- Energija
- Shranjevanje

Certifikati in norme



EN360
RFU 11.062
150 KG



Zaščita pred tveganji



Fall



enjoy safety.

Edit 22/07/2026
www.deltaplus.eu



Fall protection

MINIBLOC AN102

ANTICHUTE À RAPPEL AUTOMATIQUE

Lahek in kompakten navijalec za kratke razdalje

Standardi - podrobnosti

Tehnične podrobnosti

Vrsta opreme	Zvitek za trakove
Sestava glavnega nosilca	Plastika, Poliester
Največja dolžina (m)	2,5
Širina traku (mm)	46
Dolžina ARA (m)	2,5
Dolžina ARA (inch)	98.4253
Vključeni elementi	Vključen absorber energije
Barva	Oranžna
Priključek (na strani uporabnika)	Vijačna karabinka, jeklena, odprtina 18 mm
Teža (kg)	1,1
Največja obremenitev za eno osebo (kg)	150
Delovne situacije z zaustavitvijo padca	Vertikalni premik na stalni konstrukciji, Kratki navpični premiki ali premiki po nagnjeni površini (manj kot 3 m)
Use of self retracting	Vertical



Fall protection

MINIBLOC AN102

RETRACTABLE FALL ARRESTERS

Lightweight and compact webbing retractor for short distances

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN102	Orange	2.50 m	MINIBLOC AN102	3660348003513	13660348003510	5	1	7.102 kg	39.0 cm	43.2 cm	18.8 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height