



Protection antichute

TRA32

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Trépied en aluminium jusqu'à 3 mètres, avec 2 platines de support, léger et facile d'installation pour tout type de travaux en espaces confinés



Applications

- Bâtiment
- Second œuvre / Artisans
- Maintenance
- Industrie chimique
- Pétrole & gaz (extraction)
- Industrie minière

Certifications et normes

CE CATÉGORIE III

EN 795
TYPE B

TS16415
3

Protège contre les risques



Chute



Protection antichute

TRA32

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Trépied en aluminium jusqu'à 3 mètres, avec 2 platines de support, léger et facile d'installation pour tout type de travaux en espaces confinés

Détails - Normes

Détails techniques

Type d'équipement	Trépied télescopique
Dispositif d'ancrage	Trépied
Composition du support principal	Aluminium
Longueur max. (m)	3,02
Longueur min. (m)	1,74
Couleur	Aluminium
Poids (kg)	22,2
Résistance (Kn)	20
Empattement au sol (m)	2,62
Nombre d'utilisateur maximum	3
Situations de travail antichute	Sauvetage et évacuation, Déplacement vertical, espace confiné



Fall protection

TRA32

FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 3 metres, with 2 support plates, light and easy to install for all types of work in confined spaces

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TRA32	Aluminium-coloured	Adjustable	TRA32	3295249194178	13295249194175	1	1	29.35 kg	212.0 cm	24.0 cm	29.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height