



# AN503180JW

## ENERJİ SÖNÜMLEYİCİ HALATLAR

Düşme önleme



### Avantajlar



#### Hijyen

- Emniyet kemerlerini ve kumaşları nötr sabunla yıkama imkanı



#### Kullanım kolaylığı

- Takip edilebilirlik sağlayan NFC sistemi



#### Sürdürülebilirlik

- Örgüsü ve genişliği sayesinde dokumanın yüksek mukavemeti

### Uygulamalar

- Kamu işleri
- Yapı
- İkinci iş / Zanaatkarlar
- Ağır sanayi
- Hafif sanayi
- Bakım

### Sertifikalar ve standartlar



CSA Z259.11-17

### Karşı korur



Düşme



# AN503180JW

## ENERJİ SÖNÜMLEYİCİ HALATLAR

Düşme önleme

### Detaylar - Standartlar

### Ürün bilgileri

|                                      |                                                                                                                               |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Ekipman Türü                         | Düz dokuma kordon                                                                                                             |
| Ana destek yapısı                    | Galvanize çelik, Polyester                                                                                                    |
| Uzunluk (m)                          | 1.8                                                                                                                           |
| Konektör ile                         | evet                                                                                                                          |
| Renk                                 | Siyah-Sarı                                                                                                                    |
| Konektör (kullanıcı tarafı)          | Küçük kanca, çelik, açıklık 21 mm                                                                                             |
| Bitiş                                | 2 adet dikilmiş yüksük ilmek                                                                                                  |
| Konnektör (yapı tarafı)              | 1 otomatik kilit kancası, çelik, 65 mm açıklık                                                                                |
| Üretimden itibaren raf ömrü (yıllar) | 10                                                                                                                            |
| Ağırlık (kg) (kg)                    | 1.7                                                                                                                           |
| Paketleme tipi                       | 5'lük kutu                                                                                                                    |
| Düşmeye karşı çalışma koşulları      | Sabit yapılarda dikey hareket, Kısa dikey hareket ya da eğimli yüzeylerde hareket (3m'den az), Kısa yatay hareket (3m'den az) |
| Uzunluk (ft)                         | 6                                                                                                                             |



Fall protection

# AN503180JW

## ENERGY ABSORBING LANYARDS

Double energy absorbing lanyard, made of high impact webbing, with 2 wide opening hooks, for short distances

### Logistics information

| Reference  | Colour       | Size  | Designation | EAN13         | Box code       |  |  | Weight |  |  |  |
|------------|--------------|-------|-------------|---------------|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| AN503180JW | Black-Yellow | 1,8 m | AN503180JW  | 3295249219505 | 13295249219502 | 5                                                                                   | 1                                                                                   | 8.9 kg | 44.0 cm                                                                             | 28.0 cm                                                                             | 15.0 cm                                                                             |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height