



Fall protection

ASCORD AN065

FALL ARRESTERS ON ROPE

Lightweight and compact sliding fall arrest system for use on 14 mm stranded ropes



Specific benefits



Visibility

· Anti-fall visual indicator allows for instant verification that product is properly functioning

Applications

- Building
- Finishing Works/Craftsmanship
- Chemical Industry
- Automotive
- Oil & Gas (Extraction)
- Petrochemical

Certifications and norms



EN353-2
MAXIMUM RATED LOAD: 100

Risk Protection



Fall



enjoy safety.

Edit 06/09/2026
www.deltaplus-usa.com



Fall protection

ASCORD AN065

FALL ARRESTERS ON ROPE

Lightweight and compact sliding fall arrest system for use on 14 mm stranded ropes

Standards - Details

Technical details

Type of equipment	Stranded rope
Composition of the main support	Stainless steel
Rope diameter (mm)	14
Color	Steel
Weight (kg)	0,764
Fall arrest work situations	Long vertical movement or movement on inclined surface
Maximum rated load (kg)	100
Type of opening	Opening



Fall protection

ASCORD AN065

FALL ARRESTERS ON ROPE

Lightweight and compact sliding fall arrest system for use on 14 mm stranded ropes

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN065	Steel	One size	ASCORD AN065	3295249237356	13295249237353	5	1	4.57 kg	11.5 cm	29.5 cm	17.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height